

	Type	L #	Hits	Search Text	DBs
1	IS&R	L9	10	((("5,824,891") or ("5,731,754") or ("5,706,565") or ("5,661,651") or ("5,581,023") or ("5.562,787") or ("5,540,092") or ("5,528,452") or ("5,541,959") or ("5,418,358") or ("5,368,082"))).PN.	US-PGPUB; USPAT
2	IS&R	L10	31	((("5,824,891") or ("5,731,754") or ("5,706,565") or ("5,661,651") or ("5,581,023") or ("5.562,787") or ("5,540,092") or ("5,528,452") or ("5,541,959") or ("5,418,358") or ("5,368,082") or ("5,297,424") or ("5,285,189") or ("5,231,872") or ("5,230,243") or ("5,140,851") or ("5,054,315") or ("5,050,110") or ("4,966,034") or ("4,909,074") or ("4,893,110") or ("4,703,650") or ("4,701,826") or ("4,695,823") or ("4,578,992") or ("4,567,459") or ("4,335,283") or ("4,317,216") or ("4,174,515") or ("4,126,772") or ("3,893,228") or ("3,596,509"))).PN.	US-PGPUB; USPAT
3	BRS	L11	5931	rf and transponder	US-PGPUB; USPAT; EPO; JPO; DERWE NT
4	BRS	L12	2681	relaxation adj3 oscillator	US-PGPUB; USPAT; EPO; JPO; DERWE NT

	Time Stamp
1	2005/04/03 16:10
2	2005/04/03 16:11
3	2005/04/03 16:17
4	2005/04/03 16:17

	Type	L #	Hits	Search Text	DBs
5	BRS	L13	0	10 and L11 and L12	US- PGPUB; USPAT; EPO; JPO; DERWE NT
6	BRS	L14	0	10 and L12	US- PGPUB; USPAT; EPO; JPO; DERWE NT
7	BRS	L15	3	10 and 11	US- PGPUB; USPAT; EPO; JPO; DERWE NT
8	BRS	L16	3	10 and 11 and oscillator	US- PGPUB; USPAT; EPO; JPO; DERWE NT
9	BRS	L17	29614	current adj2 mirror	US- PGPUB; USPAT; EPO; JPO; DERWE NT

	Time Stamp
5	2005/04/03 16:17
6	2005/04/03 16:18
7	2005/04/03 16:18
8	2005/04/03 16:18
9	2005/04/03 16:18

	Type	L #	Hits	Search Text	DBs
10	BRS	L18	30789	(measurement or measuring) near3 (capacitor or capacitive or capacitance or impedance)	US- PGPUB; USPAT; EPO; JPO; DERWE NT
11	BRS	L19	710266	transistor	US- PGPUB; USPAT; EPO; JPO; DERWE NT
12	BRS	L20	4	L11 and L17 and L18 and L19	US- PGPUB; USPAT; EPO; JPO; DERWE NT
13	BRS	L21	155897	current adj2 source	US- PGPUB; USPAT; EPO; JPO; DERWE NT
14	BRS	L22	3	L20 and L21 and oscillator	US- PGPUB; USPAT; EPO; JPO; DERWE NT

	Time Stamp
10	2005/04/03 16:18
11	2005/04/03 16:18
12	2005/04/03 16:18
13	2005/04/03 16:18
14	2005/04/03 16:57

	Type	L #	Hits	Search Text	DBs
15	IS&R	L23	0	((("EP,832,765") or ("ep,583,690") or ("ep,473,569") or ("fr2,764,977"))).PN. or (W001/43999).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWE NT
16	IS&R	L24	0	((("EP,832,765") or ("ep,473,569") or ("ep473569") or ("fr2,764,977"))).PN. or (W001/43999).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWE NT
17	IS&R	L25	0	((("EP,832,765") or ("ep,473,569") or ("ep473569") or ("fr2,764,977"))).PN. or (W001/43999).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWE NT
18	IS&R	L26	0	((("EP,832,765") or ("ep,473,569") or ("ep473569") or ("fr2,764,977"))).PN. or (Wo01/43999).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWE NT
19	BRS	L27	2	22 and (set or setting or reset or resetting) near6 circuit	US-PGPUB; USPAT; EPO; JPO; DERWE NT

	Time Stamp
15	2005/04/03 16:27
16	2005/04/03 16:27
17	2005/04/03 16:27
18	2005/04/03 16:27
19	2005/04/03 16:31

	Type	L #	Hits	Search Text	DBs
20	BRS	L28	368	11 and oscillator and "455"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWE NT
21	BRS	L29	61	11 and oscillator and "455"/\$.ccls.	US- PGPUB
22	BRS	L30	307	11 and oscillator and "455"/\$.ccls.	USPAT
23	IS&R	L31	1592	((340/635) or (340/657) or (340/514)).CCLS.	US- PGPUB; USPAT

	Time Stamp
20	2005/04/03 16:59
21	2005/04/03 17:00
22	2005/04/03 17:01
23	2005/04/03 17:01

	Type	L #	Hits	Search Text	DBs
24	IS&R	L32	651	(340/664).CCLS.	US- PGPUB; USPAT

	Time Stamp
24	2005/04/03 17:03